

# Hard Rock Prospects Inventory Summary

Prospect_Name	Hole Name	Top	Bottom	Samples	Latitude	Longitude
<b>ACNC</b>						
	71587	44	440.5	45		
	71588	0	346	34		
	71589	0	211	23		
<b>Ambler prospect</b>		<b>Northern</b>			<b>67.273</b>	<b>-157.061</b>
	1	0	137	13		
<b>Amchitka Island</b>		<b>Southwest</b>			<b>51.5005</b>	<b>179.0409</b>
	HTH-1	10	3440	14		
	UA-1	930	3460	7		
	UA-1	5267	6505	151		
	UA-2	10	1760	5		
	UA-3	0	420	1		
	UA-6	250	1930	4		
	UAE-1	160	6920	16		
	UAE-1	329	6995	142		
	UAE-2	30	6370	15		
	UAE-2	401	4510	106		
	UAE-6	0	6740	16		
	UAE-6	256	6999	137		
	UAE-6H	0	7000	17		
	unknown			145		
<b>Apollo mine</b>		<b>Southwest</b>			<b>55.1911</b>	<b>-160.5626</b>
	H.S.	0	0	1		
	H.S.	0	0	1		
	H.S.	0	0	1		
	H.S.	0	0	1		
<b>Aqalt prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.75</b>
	1	20	302	2		
	2	12	370	1		
<b>Aqame prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.18</b>	<b>-160.593</b>

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	1	45	263	1		
	2	13	159	1		
	3	33.5	297	1		
	4	23	501	1		
	5	7	503	2		
	6	19	592	1		
<b>Aqank prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.75</b>
	1	28	519	2		
	2	10	244.5	1		
	3	2	89.5	2		
<b>AQO-1 prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.75</b>
	4	20	558	1		
<b>Aquila prospect</b>		<b>Southwest</b>			<b>55.19</b>	<b>-160.654</b>
	H.S.	0	0	1		
<b>Arctic prospect</b>		<b>Northern</b>			<b>67.1739</b>	<b>-156.3869</b>
	5	325	409	6		
	7	248	466	19		
	8	99	177	7		
	A1	0	39	2		
	A2	195	305	10		
	A3	263	336	8		
	A4	117	205	8		
<b>Arctic prospect (Unknown - BCMC)</b>		<b>Northern</b>			<b>67.181</b>	<b>-156.386</b>
	AC-1	294	573	6		
	AC-2	231	534	11		
	AC-3	344	781	5		
	AC-4	174	184	1		
	AC-5	576	901	6		
<b>ASA - Undetermined</b>						
	HC 9602	0	203	21		
	PK 9602	0	201	21		
<b>Aurora Mountains prospect</b>		<b>Northern</b>			<b>67.062</b>	<b>-157.092</b>

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	AM-38	342	1300	1		
	AM-75	0	939	1		
	P-115	0	1279	1		
<b>Banddana prospect</b>		<b>Central</b>			<b>65.769</b>	<b>-151.866</b>
	BC1	0	400	40		
	BC11	0	616	63		
	BC2	0	456	47		
<b>Baraloff Bay area</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Beach Vein prospect</b>		<b>Southwest</b>			<b>55.2</b>	<b>-160.703</b>
	H.S.	0	0	1		
<b>Bee Creek project</b>		<b>Southwest</b>			<b>56.51</b>	<b>-158.39</b>
	A			1		
	B1	0	265	1		
	B2	0	500	3		
	B3	0	486	3		
	B4	0	300	3		
	B5	75	300	1		
<b>Bohemia Basin, US Bureau of Mines</b>		<b>Southeast</b>			<b>57.976</b>	<b>-136.4225</b>
	B8	0	676	2		
	Blast Hole			1		
	WDT1	59.9	99	4		
<b>Bokan Mountain (Dotson prospect)</b>		<b>Southeast</b>			<b>54.9053</b>	<b>-132.1072</b>
	1	0	26.2	3		
	2	0	36.6	4		
<b>Bokan Mountain (Atom propect)</b>		<b>Southeast</b>			<b>54.9122</b>	<b>-132.1283</b>
	6	0	64	1		
	7	0	76	1		
<b>Bokan Mountain (I &amp; L prospect)</b>		<b>Southeast</b>			<b>54.913</b>	<b>-132.1345</b>
	1	0	141	4		
	2	0	95	3		
	3	0	72	3		
	4	4	56	2		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	5	0	65	2		
<b>Bokan Mountain (Ross-Adams prospect)</b>		<b>Southeast</b>			<b>54.90816</b>	<b>-132.13924</b>
	K?			1		
	KS-46	0	376	40		
	KS-46-SKEL	17	116	1		
	KS-60	0	116	6		
	KS-60-SKEL	157	230	1		
	KU-17	0	76	8		
<b>Bon Creek - Undetermined</b>						
	1	0	16	1		
<b>Bonanza Mine, Kennicott</b>		<b>Eastcentral</b>			<b>61.515</b>	<b>-142.8367</b>
				1		
<b>Bond Creek prospect</b>		<b>Eastcentral</b>			<b>62.198</b>	<b>-142.7027</b>
	2B	0	840	2		
	72-1	23	63	7		
	DDH-1	530	980	1		
	DDH-2			1		
	DDH-3	0	790	2		
	DDH-4	0	790	2		
	DDH-5	0	600	2		
	DDH-6			1		
	DDH-7	0	430	2		
	Sample			1		
<b>Boring Bay</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Bornite prospect</b>		<b>Northern</b>			<b>67.063</b>	<b>-156.947</b>
	14#2	20	28	1		
	98-3-1			1		
	DC 5	136	366	1		
	DC-8	47.5	302.5	1		
<b>Boundary prospect</b>		<b>Eastcentral</b>			<b>64.0985</b>	<b>-141.028</b>
	1	31	161	11		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	2	6	387	39		
	3	12.5	501	43		
	4	3	502	37		
<b>BPO - Undetermined</b>						
	BPO 13	0	296.5	31		
	BPO 13A	0	56.5	6		
	BPO 7	0	144	13		
	BPO 9	0	293	30		
	BPO 9A	0	290	30		
<b>Braided Creek prospect</b>		<b>Southwest</b>			<b>56.527</b>	<b>-158.573</b>
	64 & 64?			2		
<b>BT prospect</b>		<b>Northern</b>			<b>67.121</b>	<b>-156.015</b>
	4	55.5	224	17		
	5	11	324	30		
	6	0	522	50		
	BT-1	0	100	10		
	BT-2	0	140	10		
	BT-3	0	165	5		
<b>CAEC Flume prospect</b>						
	7	33	381	40		
<b>Candle prospect</b>		<b>Southwest</b>				
	DH83501	0	308.7	32		
	DH83502	0	309.3	30		
	DH83503	0	229.2	22		
<b>Canwell property</b>		<b>Eastcentral</b>			<b>63.3366</b>	<b>-145.6168</b>
	Can-01, BH 80190	0	482	48		
	Can-02, BH 80191	0	715	102		
	Can-03, BH 80195	94	706	68		
	Can-04, BH 80196	0	507	54		
	Can-05, BH 80197	33	518	43		
<b>Cape Kigunak prospect</b>		<b>Southwest</b>			<b>53.33</b>	<b>-168.41</b>
	1	0	222	23		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	10	0	292	28		
	11	0	458	47		
	2	22	286	29		
	3	6	157	15		
	4	16	362	38		
	5	0	337	37		
	6	0	400	44		
	7	0	493.5	51		
	8	0	450	44		
	9	0	441	44		
	Skel 10	55	457	2		
	Skel 11	84	438	2		
	Skel 6	0	400	3		
	Skel 7	0	500	3		
	Skel 8	0	399	3		
	Skel 9	32	443	3		
<b>Centennial prospect</b>		<b>Southwest</b>			<b>55.308</b>	<b>-160.497</b>
	Skel 1	21	499	1		
	Skel 10	86	333	1		
	Skel 11	26	508	1		
	Skel 12B	66.5	526	1		
	Skel 13	43	387.5	1		
	Skel 14	39.5	555.5	1		
	Skel 15	21.5	379	1		
	Skel 16	37	155.5	1		
	Skel 17	29	139	1		
	Skel 18	25.5	470.5	1		
	Skel 19	28.5	520	1		
	Skel 2	29	499	1		
	Skel 20	32.5	275	1		
	Skel 21	17	203	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	Skel 22	4	211	1		
	Skel 23	5	200	1		
	Skel 24	5.5	195	1		
	Skel 25	15	170	1		
	Skel 26	4	199	1		
	Skel 27	20	219	1		
	Skel 28	16	498	1		
	Skel 29	9.5	211	1		
	Skel 3	41	480.5	1		
	Skel 30	12	199	1		
	Skel 31	4	225	1		
	Skel 32	9.5	179	1		
	Skel 33	11.5	250	1		
	Skel 34	8	184	1		
	Skel 35	4	194	1		
	Skel 36	6	200	1		
	Skel 37	6	110	1		
	Skel 38	6	287	1		
	Skel 39	12	207	1		
	Skel 4	22.5	498.5	1		
	Skel 40	6	422	2		
	Skel 41	17	248	1		
	Skel 42	0	201	2		
	Skel 43	17.5	208	2		
	Skel 44	0	225	2		
	Skel 45	5	192	1		
	Skel 46	0	266	2		
	Skel 47	3	200	1		
	Skel 48	0	200	2		
	Skel 49	0	198.5	2		
	Skel 5	36.5	496	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	Skel 50	0	184	2		
	Skel 51	0	347	2		
	Skel 52	0	313	3		
	Skel 53	0	307	2		
	Skel 54	0	282	1		
	Skel 55	0	302	3		
	Skel 56	0	647	3		
	Skel 57	0	302	2		
	Skel 58	0	302	2		
	Skel 59	0	307	1		
	Skel 6	35	348.5	1		
	Skel 7	43	589.5	1		
	Skel 8	32.5	299	1		
	Skel 9	48	398	1		
<b>Chance Vein prospect</b>		<b>Southwest</b>			<b>55.206</b>	<b>-160.715</b>
	H.S.	0	0	1		
<b>Chicago Creek coal prospect</b>		<b>Seward Peninsula</b>			<b>65.9028</b>	<b>-162.4661</b>
	2C	39	68.5	2		
	3C	23.5	38	1		
	4C	68	72	1		
	5C	36	41	1		
	6C	95	105	1		
	6C2	68	98.5	3		
	7C	35	99.5	2		
	8C	15	94.5	4		
	9C	37.5	140	2		
	DH-01	135	280	6		
	DH-02	220	300	3		
	DH-03	110	300	5		
	DH-04			1		
	DH-05	70	100	3		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	DH-06	90	110	4		
	DH-07	20	130	3		
	DH-09	35	55	1		
	DH-13	100	140	4		
	DH-14	160	185	3		
	DH-17	15	185	7		
	DH-19	70	230	9		
	DH-20			1		
	DH-21	15	165	9		
	DH-23	15	180	12		
	DH-24	160	175	4		
	DH-26	95	145	3		
	DH-27	195	320	1		
	DH-28	5	190	1		
	DH-29	40	250	6		
	DH-30	60	210	7		
	DH-33	70	130	3		
	DH-34	15	110	3		
	DH-35	65	95	2		
	DH-36			1		
<b>Chrome Queen prospect</b>		<b>Southcentral</b>			<b>59.38</b>	<b>-151.47</b>
	3	0	21	1		
	4	0	6	1		
<b>Coal Creek property</b>		<b>Southcentral</b>			<b>62.9909</b>	<b>-149.8633</b>
		29		7		
	06-43	0	792.5	86		
	06-44	0	385	41		
	06-45	0	797	88		
	06-46	0	352	39		
	1	0	248.4	25		
	10	70	270	19		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	11	0	402	27		
	12	16.5	874	80		
	13	0	196	11		
	14	0	376	27		
	15	0	565	42		
	16	0	857.5	82		
	17	0	501	50		
	18	0	41	2		
	19	28	693.3	62		
	2	0	250	17		
	20	0	609.8	62		
	21	0	653.8	61		
	22	0	727.5	48		
	23	0	692.6	68		
	24	0	803.1	79		
	25	0	800.3	71		
	26	0	206.3	19		
	27	0	172.8	12		
	28	0	91.6	8		
	29	0	295.7	33		
	3	0	201.6	19		
	30	0	133.7	13		
	31	0	418.5	40		
	32	0	712.3	70		
	33	0	746.9	74		
	34	6	592	56		
	35	0	500.7	53		
	36	0	762.8	79		
	37	0	194.3	19		
	38	0	547.2	58		
	39	0	645.4	57		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	4	0	196.6	13		
	40	0	237.4	22		
	41	0	215.1	15		
	42	0	172	15		
	5	0	201.7	19		
	6	30.5	160.2	12		
	7	0	248.2	17		
	8	0	34.3	1		
	9	0	110.9	10		
	Skel-unk			1		
	Unk			5		
<b>Competition Creek prospect</b>		<b>Northern</b>			<b>68.16</b>	<b>-162.99</b>
	1	0	146	14		
	2	0	275	27		
	3	0	233	23		
	4	58	269	21		
	5	0	350	33		
<b>CS prospect</b>		<b>Northern</b>			<b>67.22</b>	<b>-156.63</b>
	1	75	300	3		
<b>Cynbad prospect</b>		<b>Northern</b>			<b>67.1167</b>	<b>-155.7333</b>
	1	13	387	37		
<b>Dead Man prospect</b>		<b>Southcentral</b>			<b>63.153</b>	<b>-148.142</b>
	2	118	524.5	43		
	3	0	339	34		
	4	0	412	42		
	5	0	415	43		
	6	0	493	52		
	7	0	254	26		
<b>Death Valley uranium &amp; coal prospect</b>		<b>Seward Peninsula</b>			<b>65.0508</b>	<b>-162.2538</b>
			227	3		
	21	0	136.3	9		
	22	0	109.7	5		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	23	0	58.5	4		
	24	0	48.7	2		
	25	0	87	4		
	26	0	473.8	22		
	27	0	166	8		
	28	0	256	20		
	29	0	188.5	16		
	30	0	708	68		
	31	0	167.7	10		
	32	0	267.5	27		
	33	0	180.7	20		
	34	0	217	20		
	35	0	189	16		
	36	0	168	17		
	37	0	138.5	10		
	38	0	154	10		
	39	0	280	25		
	40	57.5	237.5	19		
	41	0	407.9	40		
	42	0	125	11		
	43	0	146	8		
	44	0	140.7	5		
	45	0	161.7	14		
	46	106	1102	56		
	47	37	625	9		
	48	0	202	10		
	50	0	505	48		
	51	0	435	37		
	5-1	0	10	2		
	5-10	0	23	2		
	5-11	0	10.3	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	5-12	0	10.9	1		
	5-13	0	8.5	1		
	5-14	0	6.3	1		
	5-14A	0	10.7	2		
	5-15A	0	7	1		
	5-2	0	10.1	1		
	5-2A	0	9.8	1		
	5-3	0	6	1		
	5-4	0	9.6	1		
	5-43	9.5	15	1		
	5-5	0	13.9	2		
	5-6	0	10.6	1		
	5-7	0	12.3	2		
<b>DH prospect</b>		<b>Northern</b>			<b>67.297</b>	<b>-156.658</b>
	1	19	250	21		
	2	23	187	12		
	3	123.3	270	25		
	4	0	250	23		
	5	0	250	24		
<b>Disney prospect</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Donlin Creek prospect</b>		<b>Southwest</b>			<b>62.0542</b>	<b>-158.1843</b>
	DCP 04	10	50.6	7		
	DCP 05	9.3	17.17	2		
	DCP 06	5.3	32.7	6		
	DCP 07	5.4	11.9	1		
	DCP 08	14.6	24.4	2		
	DCP 09	11.5	21.6	1		
	DCP 10	13.7	31.4	4		
	DCP 11	12.2	37.5	3		
	DCP 12	11.6	17.6	1		
	DCP 13	2.4	28.3	4		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	DCP 14	2.7	44.2	7		
	DCP 15	3.04	45.1	8		
	DCP 16	1.8	24.7	3		
	DCP 17	4.2	26.5	4		
	DCP 18	3	36.2	8		
	DCP 19	4.87	14	1		
	DCP 20	4.87	36.9	7		
	DCP 21	2.43	30.64	3		
	DCP 22	5.4	22.25	3		
	DCP 23	4.26	31.5	5		
	DCP 24	3.1	27.5	4		
	DCP 28	3.6	18.44	4		
	DCP 29	4.9	28.3	3		
	DCP 30	1.21	24.69	3		
	DCP 31	6.09	30.8	4		
	DCP 32	2.7	22.6	3		
	DCP 33	5.8	17.7	2		
<b>Dust Mountain (podiform chromite) prospe</b>					<b>61.6025</b>	<b>-144.9436</b>
	1	0	57	6		
	2	0	8.9	1		
	3	8.9	13.8	2		
<b>Egnaty Creek mercury prospect</b>					<b>61.86648</b>	<b>-157.87423</b>
	SPO 1			1		
	SPO 10			1		
	SPO 11			1		
	SPO 12			2		
	SPO 13			1		
	SPO 14			1		
	SPO 15			1		
	SPO 16	32.7	82.7	2		
	SPO 17	0	80.3	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	SPO 18	0	16.3	1		
	SPO 2			1		
	SPO 3			1		
	SPO 4			1		
	SPO 5			2		
	SPO 6			1		
	SPO 7			1		
	SPO 8			2		
	SPO 9			1		
<b>ELE prospect</b>						
	DDH3	57	66	1		
	DDH5	3	441.5	49		
<b>Ellamar Copper Mine</b>					<b>60.8956</b>	<b>-146.6985</b>
	1	0	806	1		
	2	0	676.5	1		
	3	0	223	1		
<b>Empire prospect of Kennecott Exploration</b>					<b>58.1841</b>	<b>-134.7871</b>
	E95-1	2	411	2		
	E95-2	461		1		
	empty			1		
<b>Estelle Lower Discovery prospect</b>					<b>61.85</b>	<b>-152.89</b>
	1	0	100	11		
	2	0	103.3	10		
	3	0	101	10		
	4	0	50	5		
	5	0	98	11		
<b>Estelle Upper Discovery prospect</b>					<b>61.85</b>	<b>-152.89</b>
	1	1	600	63		
	Skel 1			1		
<b>Fish Lake property (Trout Claims)</b>					<b>63.2632</b>	<b>-146.2059</b>
	FL-01, BH 73700	0	690	79		
	FL-02, BH 83597	0	627	71		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	FL-03, BH 83598	0	1769	194		
	FL-04, BH 83599	1	1261	142		
	FL-05, BH 83600	0	962	109		
	FL-06, BH 80189	6	1256	143		
	FL-07, BH 80192	0	200	22		
	FL-08, BH 80193	0	205	26		
<b>Foster lead prospect</b>		<b>Seward Peninsula</b>			<b>65.03</b>	<b>-162.57</b>
	0	169	217	1		
	3	90	151	1		
	4	70	112	1		
	5	110	159	1		
	6	124	217	2		
	8	233	388	1		
	9	252	323	1		
<b>Fox Gulch prospect</b>		<b>Southwest</b>			<b>58.92</b>	<b>-161.75</b>
	6	76.2	272	1		
<b>Frenchie (FR) prospect</b>		<b>Southeast</b>			<b>56.419</b>	<b>-132.953</b>
	FR-1	0	176	15		
	FR-2	9	409	38		
	FR-3	0	345	29		
<b>Frenchie (ZAR) 1996</b>		<b>Southeast</b>			<b>56.419</b>	<b>-132.953</b>
	ZAR-1	0	495	54		
	ZAR-2	82	498	46		
	ZAR-3	0	505	59		
	ZAR-4	2	303	33		
	ZAR-5	0	454	52		
<b>Frog prospect</b>		<b>Northern</b>			<b>67.3178</b>	<b>-152.9171</b>
	DDH1	67	300	25		
	DDH2	10.5	257	23		
	DDH3	0	564	58		
	DDH4	26	57	4		
	DDH5	0	27	2		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	DDH6	0	337	34		
	DDH7	0	496.5	50		
<b>Funter Bay nickel-copper-cobalt deposit</b>	<b>Southeast</b>				<b>58.2658</b>	<b>-134.8366</b>
	1	0	443	45		
	AX1	0	142	1		
	AX2	0	133	1		
	AX3	0	500	4		
	U1	0	32	1		
	U10	0	215.2	5		
	U11	0	28	1		
	U12	47	158	2		
	U13	0	8	1		
	U14	0	242	4		
	U15	0	252.5	8		
	U16	0	68	3		
	U17	0	66	3		
	U18	0	32	1		
	U19	2	13	1		
	U2	0	46.4	2		
	U20	0	177	5		
	U21	0	111	3		
	U22	0	452	12		
	U23			1		
	U24			1		
	U25	0	201	1		
	U26	0	260	1		
	U27	0	171	1		
	U28	0	183	1		
	U29	0	298	1		
	U3	0	80	2		
	U30	0	170	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	U31	0	298	1		
	U32	0	249	1		
	U33	0	251	1		
	U34	0	262	1		
	U35	0	344	2		
	U36	0	345	1		
	U37	0	316	1		
	U38	0	455	2		
	U39	0	461	1		
	U4	0	50	2		
	U40	0	276	1		
	U41	0	317	1		
	U5	0	80	3		
	U6	0	186.5	5		
	U7	0	214	5		
	U8	0	50	2		
	U9	0	57.5	2		
<b>Gamo prospect</b>		<b>Southcentral</b>			<b>61.6667</b>	<b>-153.167</b>
	1059-1	55	494	2		
	1059-2	0	505	2		
	1059-3	0	495	2		
<b>Glacier Creek prospect (Northern)</b>		<b>Northern</b>			<b>67.673</b>	<b>-147.142</b>
	1	8	171	17		
	2	19	416	41		
	3	21	167	12		
	4	13	265	25		
	5	21	394	35		
	unk	26	31.66	1		
<b>Glacier Creek prospect (SE)</b>		<b>Southeast</b>			<b>59.396</b>	<b>-136.388</b>
	1 (GC-1?)	16	497	45		
	GC-3	22	405	36		
<b>GMO - Undetermined</b>						

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	1	0	619	66		
<b>GMT - Undetermined</b>						
	A101	0	449	39		
	S102	20	198.5	14		
	S103	0	500	37		
	S104	11.6	326	26		
<b>Gold Beach</b>		<b>Southwest</b>			<b>55.307</b>	<b>-160.728</b>
	H.S.	0	0	1		
	H.S.	0	0	1		
<b>Gold Fork</b>		<b>Southeast</b>			<b>58.3343</b>	<b>-134.2566</b>
	GF 92-2			1		
	GF-4			1		
	GF-5			1		
	GF92-1			1		
	GF92-3			1		
	GF92-5			1		
	GF92-6			1		
	GF92-7			1		
<b>Golden Zone prospect</b>		<b>Southcentral</b>			<b>63.214</b>	<b>-149.647</b>
	1	0	1005	17		
	2	0	373	4		
	3	0	129	1		
	4			1		
<b>Gunsight</b>		<b>Southcentral</b>			<b>62.083</b>	<b>-149.264</b>
	1	20	470	49		
	2	0	665	74		
	3	15	601	74		
	4	10	120	15		
	5	12	250	26		
	6			31		
<b>Gypsum Creek deposit</b>		<b>Southeast</b>			<b>57.9094</b>	<b>-134.9957</b>
	1B	75	505	9		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	2	40	308	5		
<b>Hawki (HI) prospect of Kennecott Explorati</b>		<b>Southeast</b>			<b>58.25</b>	<b>-134.833</b>
	H198-1	0	319	1		
	H198-2	0	637	3		
	H198-3	0	366	2		
<b>Hidden Creek (HDC) prospect of Kennecott</b>		<b>Southeast</b>			<b>58.25</b>	<b>-134.833</b>
	HDC 98-1	0	600	2		
	HDC 98-2	0	626	3		
<b>Hog prospect (Unga 1983)</b>		<b>Southwest</b>			<b>55.307</b>	<b>-160.728</b>
	1	26	221.5	1		
	2	21	338	2		
	3	10	293	2		
	4	12	151	1		
	5	17	98	1		
	6	15.5	219	2		
	H.S.	0	0	1		
<b>Hona</b>		<b>Eastcentral</b>			<b>63.15809</b>	<b>-143.39519</b>
	Hona-1			1		
	Hona-2	22	1297	2		
	Hona-3	0	751	1		
<b>HP prospect</b>		<b>Southeast</b>			<b>57.3998</b>	<b>-134.2413</b>
	HP-1	0	424	43		
	HP-2	0	506	51		
	HP-3	0	100	10		
<b>Husky prospect</b>		<b>Northern</b>			<b>68.1</b>	<b>-162.6</b>
	2	40	253	18		
<b>Idaho Gulch</b>		<b>Central</b>			<b>65.07848</b>	<b>-150.91881</b>
	10	0	80	2		
<b>Illinois Creek, 1993 NPMC &amp; CIRI core</b>		<b>Central</b>			<b>64.04</b>	<b>-157.91</b>
	IC93-001	5	500	1		
	IC93-002	5	500	1		
	IC93-003	5	500	1		
	IC93-004	5	500	2		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	IC93-005	5	500	1		
	IC93-006	5	500	1		
	IC93-007	5	500	1		
	IC93-008	5	500	1		
	IC93-009	5	500	1		
	IC93-010	5	500	1		
	IC93-011	5	500	1		
	IC93-012	5	500	2		
	IC93-013	5	500	1		
	IC93-014	5	500	1		
	IC93-015	5	500	1		
	IC93-016	5	500	1		
	IC93-017	5	500	1		
	IC93-018	5	500	2		
	IC93-019	5	500	1		
	IC93-020	5	500	1		
	IC93-021	5	500	1		
	IC93-022	5	500	2		
	IC93-023	5	500	1		
	IC93-024	5	500	1		
	IC93-025	5	500	2		
	IC93-026	5	500	1		
	IC93-027	5	500	1		
	IC93-028	5	500	1		
	IC93-029	5	500	2		
	IC93-030	5	500	1		
	IC93-031	5	500	1		
	IC93-032	5	500	1		
	IC93-033	5	500	1		
	IC93-034	5	500	1		
	IC93-035	5	500	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	IC93-036	5	500	1		
	IC93-037	5	500	2		
	IC93-038	5	500	1		
	IC93-039	5	500	1		
	IC93-040	5	500	2		
	IC93-041	5	500	1		
	IC93-042	5	500	1		
	IC93-043	5	500	1		
	IC93-044	5	500	2		
	IC93-045	5	500	1		
	IC93-046	5	500	1		
	IC93-047	5	500	2		
	IC93-048	5	500	1		
	IC93-049	5	500	1		
	IC93-050	5	500	2		
	IC93-051	5	500	1		
	IC93-052	5	500	1		
	IC93-053	5	500	1		
	IC93-054	5	500	2		
	IC93-055	5	500	1		
	IC93-056	5	500	1		
	IC93-057	5	500	2		
	IC93-058	5	500	1		
	IC93-059	5	500	1		
	IC93-060	5	500	1		
	IC93-061	5	500	2		
	IC93-062	5	500	1		
	IC93-063	5	500	1		
	IC93-064	5	500	1		
	IC93-065	5	500	1		
	IC93-066	5	500	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	IC93-067	5	500	1		
	IC93-068	5	500	1		
	IC93-069	5	500	1		
	IC93-070	5	500	2		
	IC93-071	5	500	1		
	IC93-072	5	500	1		
	IC93-073	5	500	1		
	IC93-074	5	500	2		
	IC93-075	5	500	1		
	IC93-076	5	500	1		
	IC93-077	5	500	1		
	IC93-078	5	500	2		
	IC93-079	5	500	1		
	IC93-080	5	500	1		
	IC93-081	5	500	2		
	IC93-082	5	500	1		
	IC93-083	5	500	1		
	IC93-084	5	500	1		
	IC93-085	5	500	1		
	IC93-086	5	500	1		
	IC93-087	5	500	1		
	IC93-088	5	500	2		
	IC93-089	5	500	1		
	IC93-090	5	500	1		
	IC93-091	5	500	1		
	IC93-092	5	500	2		
	IC93-093	5	500	1		
	IC93-094	5	500	1		
	IC93-095	5	500	1		
	IC93-096	5	500	2		
	IC93-097	5	500	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	IC93-098	5	500	1		
	IC93-099	5	500	1		
	IC93-100	5	500	1		
	IC93-101	5	500	1		
	IC93-102	5	500	1		
	IC93-103	5	500	2		
	IC93-104	5	500	1		
	IC93-105	5	500	1		
	IC93-106	5	500	1		
	IC93-107	5	500	1		
	IC93-108	5	500	2		
	IC93-109	5	500	1		
	IC93-110	5	500	1		
	IC93-111	5	500	1		
	IC93-112	5	500	2		
	IC93-113	5	500	1		
	IC93-114	5	500	1		
	IC93-115	5	500	1		
	IC93-116	5	500	2		
	IC93-117	5	500	1		
	IC93-118	5	500	1		
	IC93-119	5	500	2		
	IC93-120	5	500	1		
	IC93-121	5	500	1		
	IC93-122	5	500	1		
	IC93-123	5	500	2		
	IC93-124	5	500	1		
	IC93-125	5	500	1		
	IC93-126	5	500	2		
	IC93-127	5	500	1		
	IC93-128	5	500	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	IC93-129	5	500	2		
	IC93-130	5	500	1		
	IC93-131	5	500	1		
	IC93-132	5	500	1		
	IC93-133	5	500	1		
	IC93-134	5	500	1		
	IC93-135	5	500	1		
	IC93-136	5	500	2		
	IC93-137	5	500	1		
	IC93-138	5	500	1		
	IC93-139	5	500	2		
	IC93-140	5	500	1		
	IC93-141	5	500	1		
	IC93-142	5	500	2		
	IC93-143	5	500	1		
	IC93-144	5	500	1		
	IC93-145	5	500	1		
	IC93-146	5	500	2		
	IC93-147	5	500	1		
	IC93-148	5	500	1		
	IC93-149	5	500	1		
	IC93-150	5	500	2		
	IC93-151	5	500	1		
	IC93-152	5	500	1		
	IC93-153	5	500	1		
	IC93-154	5	500	2		
	IC93-155	5	500	1		
	IC93-156	5	500	1		
	IC93-157	5	500	2		
	IC93-158	5	500	1		
	IC93-159	5	500	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	IC93-160	5	500	2		
	IC93-161	5	500	1		
	IC93-162	5	500	1		
	IC93-163	5	500	1		
	IC93-164	5	500	2		
	IC93-165	5	500	1		
	IC93-166	5	500	1		
<b>Island Mountain prospect</b>		<b>Southcentral</b>			<b>61.78</b>	<b>-152.74</b>
	1	0	96	7		
	2	0	159	17		
	3	0	229	24		
<b>Iyoukeen Cove prospect</b>		<b>Southeast</b>			<b>57.9118</b>	<b>-134.9613</b>
	3	0	125	1		
	4	53	156	1		
	5	0	100	3		
	6	5	100	3		
<b>Jones Creek prospect</b>		<b>Northern</b>			<b>67.1496</b>	<b>-152.5951</b>
	1	30	547	49		
	2	42	422	39		
	3	45	337	21		
<b>Jonesville Coal mine</b>		<b>Southcentral</b>			<b>61.737124</b>	<b>-148.971808</b>
	DDH1	0	2066	229		
	DDH2	0	2475	281		
<b>Joy claims</b>		<b>Seward Peninsula</b>			<b>64.7858</b>	<b>-165.1706</b>
	1	0	594.6	68		
	2	0	500	55		
<b>Jumbo Mine, Kennicott</b>		<b>Eastcentral</b>			<b>61.5221</b>	<b>-142.8214</b>
				1		
<b>Junior Vein prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.237</b>	<b>-160.674</b>
	1	22	368	1		
	H.S.	0	0	1		
<b>Jyro prospect</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
<b>Kamishak prospect</b>		<b>Southwest</b>			<b>59.2329</b>	<b>-154.4713</b>
	83521	0	248.1	27		
	83522	0	200.5	21		
	83523	0	290	31		
	83524	0	211.2	22		
	83525	0	237.2	25		
	83526	0	350.5	37		
	83527	0	170.4	19		
	83528	0	490.9	51		
	83529	0	2935	45		
	83530	0	388.4	40		
	83531	0	4858.8	52		
	83532	0	208	22		
	83533	0	308	33		
	83534	0	298.6	32		
	83535	0	34	3		
	83536	0	375.4	39		
	83537	0	278	28		
	83538	0	308	32		
<b>Kandik Basin (12-Hole Oriented Project)</b>		<b>Eastcentral</b>			<b>65.448869</b>	<b>-141.451411</b>
	1	61.6	108.8	3		
	10	42.2	118	5		
	11	6	56.12	6		
	12	36.7	47	1		
	13	5.5	95.2	4		
	14	16.4	80.8	6		
	15	29.9	44.9	2		
	16	25	57.9	2		
	1B	10.4	90.8	8		
	3	11.2	42.6	3		
	4A	66.2	145.6	5		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	4B	6.8	106.6	12		
	5	2	67	6		
	6	50.5	106	5		
	7	9	47.32	5		
	8	21.1	53.9	3		
	9	20	55.1	3		
<b>Kantishna project</b>		<b>Central</b>			<b>63.544</b>	<b>-150.944</b>
	K01	0	158.8	13		
	K02	0	280.3	25		
	K03	0	166.2	11		
	K04	0	300.7	25		
	K05	0	195.7	19		
	K06	0	186	18		
	K07	0	279	26		
	K08	0	182.7	20		
	K09	0	242.5	23		
	K10	0	103	11		
	K11	0	146.8	14		
	K12	0	304.8	32		
	K13	0	183	16		
	K14	0	399.1	39		
	K15	0	201.7	18		
	K16	0	237.3	21		
	K17	0	262.5	27		
	K18	0	188	8		
	K19	0	203.5	19		
	K20	0	186.6	15		
	K21	0	175	12		
	K22	0	61	2		
	K22B	0	226.3	17		
<b>Kelly Creek prospect</b>		<b>Seward Peninsula</b>			<b>65.772</b>	<b>-165.896</b>

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	KC-2	36	64	3		
<b>Kemuk Mountain prospect</b>		<b>Southwest</b>			<b>59.72</b>	<b>-157.67</b>
	H02			3		
	H03	260	1002	10		
	H04	296	468	4		
	H06	278	821	10		
	H07	155	2000	63		
	H08	224	577	13		
	H09	234	2000	77		
	H10			11		
	H11			14		
	H12	254	637	15		
	H13			12		
	H14			12		
	H15			7		
	H16	256	601	8		
	H17			3		
	Skel H07			1		
	Skel H07			1		
	Skel H08			1		
	Skel H10	205	532	1		
	Skel H11			1		
	Skel H11	159	500	1		
	Skel H12			1		
	Skel H13			1		
	Skel H14	92	500	1		
	Skel H15			1		
	Skel H16			1		
	Skel H17	240	530	1		
<b>Kennecott prospects - Undetermined</b>						
	92-2	24	598	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	HC-1	21	788	1		
	KS-10	245	261	2		
	KS-8	436	453	2		
	NANNA-1	272	332	1		
	NANNA-2	37	314	1		
<b>Keystone gold-lead-zinc prospect</b>		<b>Southeast</b>			<b>55.387</b>	<b>-131.169</b>
	1	0	717	3		
	2	0	690	3		
<b>Kiwi prospect</b>		<b>Northern</b>			<b>67.109</b>	<b>-154.957</b>
	DDH-1	12	651.5	65		
<b>Klukwan magnetite deposit</b>		<b>Southeast</b>			<b>59.42</b>	<b>-135.88</b>
	1			1		
	2			1		
<b>Kougarok tin prospect</b>		<b>Seward Peninsula</b>			<b>65.711</b>	<b>-165.226</b>
	18	553	708.5	17		
	23	724.8	818.4	10		
	23 - Dike	0	0	2		
	23 - Skel	189.3	286.9	1		
	K1			1		
	K1			1		
	K10			3		
	K10			1		
	K13			2		
	K13			4		
	K15			1		
	K16			1		
	K18			1		
	K4			1		
	K5			1		
	K6			5		
	K-6	130.5	788	11		
	K-6 - Skel			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	K9			4		
<b>Kuiu (Dyrdahl-Hawkes) zinc-lead prospect</b>		<b>Southeast</b>			<b>56.89795</b>	<b>-134.10656</b>
	1	0	187	3		
	2	0	317	3		
	4	0	65	1		
	6	0	131	3		
<b>Last 1976 prospect</b>		<b>Northern</b>				
	1-76	45	595	3		
	2-76	82	565	2		
	3-76	46	474	2		
	4-76	49.6	613	3		
	5-76	20	464	2		
<b>LCC - Undetermined</b>						
	GP79-1	8	470	38		
	GP79-2	15	532	49		
<b>Lin prospect</b>		<b>Northern</b>			<b>67.23</b>	<b>-156.795</b>
	LIN 1	49.5	400	4		
	LIN 2	47.6	449.8	5		
<b>Lisa prospect</b>		<b>Northern</b>			<b>67.227</b>	<b>-156.795</b>
	1	9.8	514	4		
<b>LO - Undetermined</b>						
	1	2	259	25		
	1-SKEL			1		
<b>Lost River Camp Creek</b>		<b>Seward Peninsula</b>			<b>65.45639</b>	<b>-167.175</b>
	LRCC No. 101	11	241	4		
	LRCC No. 102	10	110	2		
	LRCC No. 103	10	179	6		
	LRCC No. 104	125	139	1		
	LRCC No. 105	10	39	1		
	LRCC No. 110	90	150	3		
	LRCC No. 114	15	44	1		
<b>Lost River DMER</b>		<b>Seward Peninsula</b>			<b>65.45639</b>	<b>-167.175</b>
	DMER EMPTY			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	LRDMER No. 4			1		
	LRDMER No. 4	0	34	2		
	LRDMER No. 5			1		
	LRDMER No. 8	0	60	2		
<b>Lost River lode-tin prospect</b>			<b>Seward Peninsula</b>		<b>65.45639</b>	<b>-167.175</b>
	1	0	207	8		
	1	0	304	1		
	114	44	50	1		
	17			1		
	2			4		
	2	0	259	1		
	22			1		
	23-5-10			1		
	3			1		
	7			1		
	7			1		
	8			1		
<b>Lost River WWII</b>			<b>Seward Peninsula</b>		<b>65.45639</b>	<b>-167.175</b>
	WWII No. 24	0	490	9		
	WWII No. 25	365	401	1		
	WWII No. 26	23	155	4		
<b>Luk (Lik) prospect</b>			<b>Northern</b>		<b>67.126</b>	<b>-156.182</b>
	1	37.5	330	5		
<b>Luna prospect</b>			<b>Northern</b>		<b>67.76</b>	<b>-149.16</b>
	4	0	500	38		
<b>Makushin Volcano geothermal &amp; mineral p</b>			<b>Southwest</b>		<b>53.89</b>	<b>-166.85</b>
	A			1		
	A1	0	1861	180		
	D1			1		
	D1	344	1429.5	81		
	D2			1		
	D2	83.5	1501	124		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	D3			1		
	D3	100	1500	118		
	St			1		
	ST-1R	55	1946	199		
<b>Manhattan (Dickey Copper Co.) copper pro</b>		<b>Southcentral</b>			<b>60.77</b>	<b>-146.41</b>
	1	199.5	731	3		
	3	159.7	462.25	5		
	5	46	812.7	28		
	6	116.6	414.3	10		
	9	57.5	200.3	6		
<b>Manley Hot Springs tin prospect</b>		<b>Central</b>			<b>65.0308</b>	<b>-150.7417</b>
	1	65	257	5		
	2	0	414	6		
	3	0	469	9		
	4	0	381	4		
	5	0	515	7		
	6	0	483	8		
	7	0	243	4		
	8	0	337	3		
<b>McCallie Creek electromagnetic target pro</b>		<b>Southcentral</b>			<b>63.11</b>	<b>-149.85</b>
	MC-1	0	1000	86		
	MC-1 - Skel	0	1000	1		
<b>McCallie Creek prospect, Kennecott Explor</b>		<b>Southcentral</b>			<b>63.11</b>	<b>-149.85</b>
	MC-1	643	981	1		
<b>Millet copper deposit</b>		<b>Southwest</b>			<b>59.785</b>	<b>-154.5141</b>
	1	0	350	2		
	2	0	329	1		
	3	0	468	4		
	4	124	371	3		
	6	0	415	1		
<b>Mirror Harbor nickel-copper-cobalt prospe</b>		<b>Southeast</b>			<b>57.793</b>	<b>-136.32</b>
	?			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	?-13?			1		
	?-7	51.6	73	3		
	1-88	0	216.5	22		
	2-88	0	69.2	10		
	87-1	0	107.1	10		
	87-2	0	108.9	10		
	MH-10	50.5	226.2	6		
	MH-13	103.3	413.3	32		
	MH-8	193.9	299.6	11		
	MH-9	12.5	423.3	11		
	Skel 11	12	458	1		
	Skel 12	1010	1130	1		
	Skel 13	520	790	1		
	Skel 15	420	444	1		
	Skel 16	5	432	1		
	Skel 21	195		1		
	Skel 23	10	330	1		
	Skel 24	8.4	246	2		
	Skel 25	0.5	289	1		
	Skel 26	0	420	2		
	Skel 28	11	330	1		
	Skel 29	10	491	2		
	Skel 5	5		1		
	Skel 6	240	788	1		
	Skel 7	21	380	2		
	Skel 8	22	240	2		
	Skel 9	680	916	1		
	Skel MH-1			1		
	Skel MH-2			1		
	Skel MH-3	0	173.1	1		
	Skel TSMH 10			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	Skel TSMH 11			1		
	Skel TSMH 12			1		
	Skel TSMH 13			1		
	Skel TSMH 14			1		
	Skel TSMH 15			1		
	Skel TSMH 6	0		1		
	Skel TSMH 7			1		
	Skel TSMH 8			1		
	Skel TSMH 9			1		
	Skel TSMH-4			1		
	TSMH-1	0	265.1	27		
	TSMH-10	0	198.4	19		
	TSMH-11	0	195.5	20		
	TSMH-12	0	191.9	19		
	TSMH-13	0	76	8		
	TSMH-14	0	54.4	6		
	TSMH-15	0	183	20		
	TSMH-2	23.8	53.5	5		
	TSMH-3	104.5	173.6	5		
	TSMH-4	0	144.6	13		
	TSMH-5	0	83.7	8		
	TSMH-6	0	458.8	47		
	TSMH-7	0	119	12		
	TSMH-8	0	109	11		
	TSMH-9	0	248.4	23		
	WDMH-?	71	190.2	11		
	WDMH-3	11.7	489	47		
	WDMH-4	0	383	36		
	WDMH-5	35.2	208	21		
	WDMH-6	0	199.4	17		
	WDMH-7	13	252.3	15		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	WD-Mixed Samples			2		
<b>Montana Creek (MC) prospect</b>		<b>Southeast</b>			<b>58.427</b>	<b>-134.695</b>
	88-1	36.5	529	42		
	88-2	29.5	297	16		
	88-3	61	354	28		
	88-4	44	353	27		
	88-5	11	347	25		
	88-6	36	365	31		
	88-7	41	232	18		
	88-8	13	375	35		
	88-9	7	451	42		
<b>MOSE prospect</b>		<b>Southwest</b>			<b>60.41</b>	<b>-158.12</b>
	1-84	0	112.5	9		
	2-84	0	201.7	20		
	3-84	0	103.6	9		
	4-84	0	89.6	10		
	5-84	1	257	26		
	6-84	0	46	5		
<b>Moth Bay zinc-copper deposit</b>		<b>Southeast</b>			<b>55.296</b>	<b>-131.343</b>
	1	0	355	2		
	1	235	285	2		
	12	298	321.8	1		
	2	0	289	1		
	2	219	272	2		
	3	0	428	2		
	3	85	126	1		
	4	0		1		
	4	25	241	3		
	5	0	103	1		
	5	50	132	2		
	6	0	80	1		
	6	10	104	4		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	7	0	264	1		
	7	25	247	6		
<b>Mount Andrew iron deposit</b>		<b>Southeast</b>			<b>55.51669</b>	<b>-132.30214</b>
	14	23	47	1		
	20	33	250	1		
	23	0	130	1		
	27	21	97	1		
	29	45	140	3		
	31			1		
	32			1		
	7	0	243	4		
	A1	82	173	1		
	A2	40	205	3		
	A3	0	230	1		
	A4	0	160	1		
	A5	0	52	1		
	A7	24	178	3		
	A7	93	195	2		
	A8	0	179	3		
<b>Muir Inlet Molybdenum deposit</b>		<b>Southeast</b>			<b>58.99</b>	<b>-136.103</b>
	1	10	594	22		
	2	19.8	892	30		
	3	0	513	16		
<b>Nap Cu-Zn prospect</b>		<b>Southwest</b>			<b>59.8</b>	<b>-157.417</b>
	DDH1	0	300	26		
	DDH2	109	313	24		
	DDH3	90	300	22		
	DDH4	85	276	14		
	DDH5	71	353	33		
<b>Napolean prospect</b>		<b>Eastcentral</b>			<b>64.1645</b>	<b>-141.6308</b>
	NAP #1	0	865	95		
	NAP #2	0	815	91		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	NAP #3	0	295	33		
	NAP #3A	222	1005	84		
	NAP #4	0	505	55		
	NAP #5	0	815	90		
	NAP #6	0	855	98		
<b>Nevada Creek</b>		<b>Southeast</b>			<b>58.2196</b>	<b>-134.3305</b>
	NCD No. 1			1		
	NCD No. 2			1		
	NCD No. 3	0		1		
	NCD No. 4	0	595	2		
	NCD No. 5	0		1		
	NCD No. 6	0	651	2		
<b>Nikolai project (INEXCO Mining Company)</b>		<b>Southcentral</b>			<b>61.4637</b>	<b>-142.6765</b>
	N1 - Skel			1		
	N2 - Skel			1		
	N3 - Skel			1		
	N4 - Skel			1		
	N5 - Skel			1		
	N6 - Skel			1		
	N7 - Skel			1		
	N8 - Skel			1		
<b>Nixon Fork prospect</b>		<b>Central</b>			<b>63.239</b>	<b>-154.764</b>
	92-4	194	460	29		
	92-5	0	128	11		
<b>Non-Alaska prospects</b>		<b>Lower-48</b>				
				2		
	LAD-1			1		
	LAD-2			1		
	LAD-3			1		
	LBC-1			1		
	LBC-2			1		
	LBC-3			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	LBC-4			1		
	LBC-5			1		
	LBC-6			1		
	LBC-7			1		
	Ruby-1			1		
	Ruby-2			1		
	Ruby-3			1		
<b>Nora (Noranda) prospect</b>		<b>Northern</b>			<b>67.142</b>	<b>-156.243</b>
	1	141	195	16		
	2			20		
	3			25		
	4			31		
	5			43		
<b>Normandy</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Norms Vein prospect (Unga 1983)</b>		<b>Southwest</b>			<b>55.241</b>	<b>-160.629</b>
	1	20	374	2		
	2	16	401	1		
<b>NRC - Undetermined</b>						
	NRC-1	0	240	3		
	NRC-10	0	230	3		
	NRC-2	0	300	3		
	NRC-3	0	340	4		
	NRC-4	0	312	4		
	NRC-5	0	312	4		
	NRC-6	0	300	3		
	NRC-7	0	440	5		
	NRC-8	0	420	5		
	NRC-9	0	410	5		
<b>Old Dog prospect</b>		<b>Central</b>			<b>65.010261</b>	<b>-147.807019</b>
	1996 OD-1	0	225	1		
	1996 OD-10	0	390	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	1996 OD-11	0	530	1		
	1996 OD-2	0	210	1		
	1996 OD-3	0	85	1		
	1996 OD-4	0	95	1		
	1996 OD-5	0	90	1		
	1996 OD-6	0	410	1		
	1996 OD-7	0	400	1		
	1996 OD-8	0	490	1		
	1996 OD-9	0	470	1		
<b>Old Man (OM, OMBRX) prospect</b>		<b>Southcentral</b>			<b>61.94</b>	<b>-152.32</b>
	1	0	136.2	15		
	2	0	128.5	14		
	3	0	49.5	4		
	4	0	14	1		
<b>Old Man Diorite (OMDIOR) prospect</b>		<b>Southcentral</b>			<b>61.94</b>	<b>-152.32</b>
	1	0	278	29		
	2	0	176.8	19		
<b>Omilak East</b>		<b>Seward Peninsula</b>			<b>65.05</b>	<b>-162.56</b>
	S-1	0	233	12		
	S-2	0	276	16		
<b>Orange Hill prospect</b>		<b>Eastcentral</b>			<b>62.204</b>	<b>-142.8449</b>
	1	80	770	2		
	102	40	1267	2		
	103	158	158	1		
	104	63.5	606	2		
	105	332.5	332.5	1		
	106	130	690	2		
	108	1248	1248	1		
	109	125.5	490	2		
	112	72	650	2		
	113	100	110	1		
	114	190	807	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	115	140	890	1		
	116	100	570	1		
	116	543	543	1		
	117	895	1245	1		
	118	11	468	1		
	118	469	690	1		
	119	0	2021	2		
	120	0	2014	2		
	121	107	495	1		
	122	0	751	2		
	123	0	1016	2		
	123	0	713	2		
	2	30	540	2		
	Duval 3	340	350	1		
<b>Orange Mountain prospect (Unga 1983)</b>		<b>Southwest</b>			<b>55.209</b>	<b>-160.621</b>
	1	38	606	2		
	2	24.6	972	2		
	3	46	872	1		
	H.S.	0	0	1		
	H.S.	0	0	1		
	H.S.	0	0	1		
	OMRL Grid			14		
<b>Paint River prospect</b>		<b>Southwest</b>			<b>59.123</b>	<b>-154.68</b>
	PR-1	11	282	30		
	PR-2	0	15	1		
<b>Palmer project</b>		<b>Southeast</b>			<b>59.39</b>	<b>-136.39</b>
	P94-1			1		
	P94-2			1		
	P94-3			1		
<b>Paplov</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Pardner Hill prospect of Kennecott Explora Northern</b>					<b>67.064</b>	<b>-157.017</b>

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	PH 179	120	736	1		
	PH-122			1		
	PH-124			1		
	PH-179			1		
<b>Patti prospect</b>		<b>Northern</b>			<b>67.288</b>	<b>-157.132</b>
	1	22	306	4		
	2	51.7	385	4		
<b>Patty-Pybus prospect</b>						
	PC-1	0	186.5	19		
	PC-2	0	184	18		
<b>PC prospect</b>		<b>Southeast</b>				
	Empty Box			1		
	Hole #1			1		
	Hole #2			1		
	Hole #3			1		
	Hole 4			1		
<b>Peat prospect</b>		<b>Southeast</b>			<b>55.236</b>	<b>-130.933</b>
	W-1	19	202.8	11		
	W-2	2.5	303	23		
	W-3	14.6	161.3	6		
	W-4	25	291.7	16		
<b>Peppi prospect</b>		<b>Northern</b>				
	Peppi-1-76	17	238	1		
<b>Picnic Creek (Hot) prospect</b>		<b>Northern</b>			<b>67.0703</b>	<b>-155.0428</b>
	Hot 1	59.8	400	33		
	Hot 2	58	400	33		
	Hot 3	0	400	37		
	Hot 4	9	300	30		
	Hot 5	0	300	20		
	Hot 6	0	306	35		
	Hot 7	0	300	25		
	Hot 8	0	300	28		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	Hot 9	320	350.9	2		
	Hot 9 - Skel	18.3	1014.5	9		
	Unk Hot/Picnic	0	112	8		
<b>Pook prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.195</b>	<b>-160.625</b>
	1	11.5	360	1		
	H.S.	0	0	1		
<b>Popov Island area</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Potato Mountain tin deposit</b>		<b>Seward Peninsula</b>			<b>65.664</b>	<b>-167.554</b>
	1	0	141	3		
	2	0	114	3		
	3	0	124	3		
	4	0	172	4		
	5	0	178	3		
<b>Powell prospect</b>		<b>Eastcentral</b>			<b>63.138</b>	<b>-144.787</b>
	DDH1	10	310.8	30		
	DDH2	6.3	202	19		
	DDH3	9.8	32.3	2		
<b>Pray Vein prospect (Unga 1981? &amp; 1983)</b>		<b>Southwest</b>			<b>55.212</b>	<b>-160.593</b>
	1	29	49	1		
	2	8.5	289.5	1		
<b>Prindle prospect</b>		<b>Central</b>			<b>65.438</b>	<b>-146.588</b>
	BT E1	10	305	1		
	BT P1	20	165	1		
	BT P2	20	310	1		
	FB E16	60	278.5	1		
	O 5C	20	255	1		
	OH E1	50	466	2		
	Y 20C	20	297	1		
	Y 21C	10	191	1		
	Y 22C	10	450	2		
	Y 23C	10	466	2		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	Y 24C	15	340	2		
	Y 25C	10	200	1		
	Y 26C	10	491	2		
	Y 27C	40	584	2		
	Y 28C	10	363	2		
	Y 29C	50	1272	3		
	Y 30C	20	1460	4		
	Y E16	72	180	1		
	Y E17	20	305	1		
	Y E18	18	520	2		
	Y E19	30	717	2		
	Y E3	13	273	1		
	Y F1	17	350	1		
	Y F10	10	302	1		
	Y F11	10	301	1		
	Y F12	15	303	1		
	Y F12	35	304	1		
	Y F14	15	493	2		
	Y F15	10	977	3		
	Y F2	16	290	1		
	Y F4	10	290	1		
	Y F4A	11	142	1		
	Y F6	12	251	1		
	Y F8	10	301	1		
	Y F9	14	379	1		
	Y F9	20	67	1		
	Y W1	30	228.5	1		
	Y W5	8	302	1		
<b>Propalof prospect</b>		<b>Southwest</b>			<b>55.303</b>	<b>160.4662</b>
	Skel 1	0	474	3		
	Skel 2	0	444	3		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	Skel 3	0	293	1		
<b>Puzzle prospect</b>		<b>Northern</b>			<b>67.299</b>	<b>-157.151</b>
	1	8	296	28		
	DDH2	0	251	23		
	DDH3	0	101	10		
	DDH4	0	201	18		
	DDH5	0	250	24		
<b>Pyramid prospect</b>		<b>Southwest</b>			<b>55.61641</b>	<b>-160.652458</b>
	1	15	417	37		
	10	17	274	5		
	11	13	294	16		
	12	0	43	1		
	13	38	157	2		
	14	121	159	4		
	2	411	553	9		
	3	11	339	22		
	4	8	350	25		
	5	24	418	25		
	7	55	142	8		
	8	43	159	5		
	9	10	202	10		
	BBS 1-1	15	203	3		
	BBS 1-2	47	271	6		
	BBS 1-3	17	308	6		
	BBS 1-4	19	192	5		
	BBS 1-5	24	445	16		
	BBS 1-6	15	289	7		
	QP-14	68	225	7		
	S.D.I.	309	519	1		
	T1	20	184	1		
	T2	32	222	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	T3	53	120	1		
<b>Pyrola Red Rock prospect</b>		<b>Southeast</b>			<b>57.9629</b>	<b>-134.554</b>
	1	0	90	9		
	2	0	39	4		
	3	0	24	1		
	4	0	275	27		
	5	0	181	18		
	6	4	91	9		
	7	4	76	8		
	8	4	138	14		
<b>Pyrola silver-lead-zinc prospect</b>		<b>Southeast</b>			<b>57.9629</b>	<b>-134.554</b>
	PY1	10	451	47		
	PY2	10	580	64		
	PY3	0	950	98		
	PY4	0	340	36		
	PY5	2	382	36		
	PY6	37	259	20		
	PY7	12	357	35		
<b>Q.H. - Undetermined</b>						
	DDH-1	0	134	14		
<b>Rainbow Hill prospects (Black Creek)</b>		<b>Central</b>			<b>63.18</b>	<b>-147.23</b>
	C12	7	49	4		
	C13	21.5	169	18		
<b>Rainbow Hill prospects (TMC Zone)</b>		<b>Central</b>			<b>63.179</b>	<b>-147.246</b>
	C1	9	50	3		
	C10	8	127	14		
	C11	13	122.5	13		
	C2	135.5	308.5	6		
	C3	0	287	33		
	C4	12	159	17		
	C6	0	203	13		
	C7	13	471	49		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	C8	10.5	301	32		
	C9	1	185	21		
	C9A	41	114.5	8		
<b>Rainy property</b>		<b>Eastcentral</b>			<b>63.3267</b>	<b>-145.9338</b>
	Rain-01, BH 80194	0	243	29		
<b>Rand prospect of Kennecott Exploration</b>		<b>Southeast</b>			<b>58.1785</b>	<b>-134.758</b>
	E95-1	685	700	1		
	E95-2	72	537	1		
	R95-1	19	549	2		
	R95-1	202	394.2	2		
	R95-2	26	223	1		
	R95-2	236	236	1		
<b>Red Cove prospect</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
	Skel 1	27.5	680	2		
	Skel 2	0	490	2		
	Skel 3	0	518	2		
	Skel 4	0	484	2		
	Skel 5	0	498	2		
<b>Red Diamond prospect</b>		<b>Southeast</b>			<b>58.2124</b>	<b>-134.3446</b>
	1	24	78	4		
	2	11	112	10		
	3	5	125	8		
<b>Red Dog area</b>		<b>Northern</b>			<b>68.0704</b>	<b>-162.8379</b>
	Key Creek Sequence	0	0	1		
	Lisburne	0	0	1		
	Shublik	0	0	1		
	Wolverine Cr. Seque	0	0	1		
<b>Red Mountain</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Red prospect</b>		<b>Northern</b>			<b>67.168</b>	<b>-156.32</b>
	SS Red 1	40.5	444.4	3		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>	
	SS Red 2	73	652.9	4			
	SS Red 3	57.4	503	5			
	SS Red 4	69	554	4			
	SS Red 5	34	300	19			
<b>Red Ridge prospect</b>		<b>Northern</b>					
	RR-1-77	12	28	1			
<b>Revelation prospect</b>		<b>Southcentral</b>			<b>61.77</b>	<b>-153.05</b>	
		42.3	43.3	1			
	1	0	175	21			
	2	0	70	8			
	3	0	70	8			
	4	0	19.5	2			
	5	0	61	7			
	6	0	70.5	8			
	7	0	85.5	6			
<b>RO prospect</b>		<b>Northern</b>			<b>67.14</b>	<b>-152.893</b>	
	1	15	310	19			
	2	34	211	7			
	6	354	393	4			
	Winkie Hole			1			
<b>Road Cut prospect</b>		<b>Southeast</b>			<b>59.2</b>	<b>-135.45</b>	
	1	4	60	7			
	2	10	165	16			
	3	0	280	28			
	4	0	64	6			
	5	0	90	6			
	6	0	101	10			
	7	0	215	16			
<b>Rocket Man (RM, 1998) prospect of Kennebec</b>		<b>Southeast</b>			<b>58.25</b>	<b>-134.833</b>	
	R98-1	0	600	2			
	RM 98-1	0	600	3			
	RM 98-2	0	786	4			

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	RM 98-3	0	467	2		
<b>Roosevelt Creek prospect</b>		<b>Northern</b>			<b>67.1389</b>	<b>-152.8988</b>
	1	6	503	50		
	2	9	532	53		
<b>Roy Creek prospect</b>		<b>Central</b>			<b>65.438</b>	<b>-146.588</b>
		823	839	1		
	OH-E1	252	364	1		
	P-1	20	165	2		
	P-2	20	307	6		
	Y-22-C	330	345	1		
	Y-23-C	151	391	5		
	Y-24-C	151	226	3		
	Y-25-C	10	55	3		
	Y-29-C	536	1189	18		
	Y-30-C	35	1460	29		
	YDDH-E19	20	565	5		
	YDDH-F14	250	370	1		
<b>Rua Cove deposit</b>		<b>Southcentral</b>			<b>60.3524</b>	<b>-147.6498</b>
	1	0	134	1		
	2	0	301	1		
	3	0	130	1		
	4	0	154	1		
	5	0	177	2		
	RC-1	10	125	5		
	RC-2	81.6	182.1	5		
	RC-3	141.3	155	1		
	RC-4	8.5	66.9	3		
<b>Ruby Creek prospect</b>		<b>Northern</b>			<b>67.063</b>	<b>-156.947</b>
				1		
	1			1		
	100			1		
	101			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	102			1		
	103			2		
	104			1		
	105			2		
	106			1		
	107			1		
	108			1		
	109			1		
	11			2		
	110			1		
	111			2		
	112			2		
	113			1		
	114			2		
	115			2		
	116			1		
	117			2		
	118			2		
	119			1		
	12			2		
	120			2		
	121			2		
	122			1		
	123			1		
	124			1		
	125			1		
	126			1		
	128			1		
	129			2		
	13			1		
	14			2		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	15			1		
	16			1		
	17			2		
	18			3		
	19			2		
	2			1		
	20			2		
	21			1		
	22			2		
	23			1		
	24			1		
	25			2		
	26			1		
	27			2		
	28			1		
	29			2		
	3			1		
	30			2		
	31			2		
	32			1		
	33			5		
	34			3		
	35			3		
	36			1		
	37			4		
	38			2		
	39			3		
	4			1		
	40			3		
	41			2		
	42			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	45			1		
	47			3		
	48			2		
	49			3		
	5			6		
	50			3		
	51			4		
	52			3		
	53			2		
	54			5		
	55			3		
	56			5		
	57			4		
	58			4		
	59			4		
	6			4		
	60			3		
	61			5		
	62			2		
	64			3		
	65			3		
	66			2		
	67			2		
	68			4		
	69			8		
	7			5		
	70			4		
	71			3		
	72			5		
	73			5		
	74			2		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	75			2		
	76			3		
	77			2		
	78			3		
	79			4		
	80			4		
	81			2		
	82			4		
	83			3		
	84			2		
	86			1		
	87			1		
	9			2		
	92			3		
	93			4		
	95			2		
	96			2		
	97			2		
	98			1		
	99			1		
	RC-176	57	852	2		
	RC-177	140	1672	2		
	RC-178	71	583	1		
	RC-180	71	494	1		
	RC-50	562	1419	1		
	RC-53	141	1384	2		
<b>Ruby Tuesday</b>		<b>Southeast</b>			<b>55.2157</b>	<b>-132.3248</b>
	RT93-11	0	462	1		
	RT93-12	0	1571.1	1		
	RT93-13	7.4	1172.4	1		
<b>S.W. Unga Felsic Ashflows</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	H.S.	0	0	1		
<b>Salt Chuck copper deposit</b>		<b>Southeast</b>			<b>55.63388</b>	<b>-132.56018</b>
	DDH1	58	398	1		
	DDH2	20	405	1		
	DDH3	17	443	1		
<b>SAW prospect</b>						
	80103	0	331.7	36		
	80104	0	450.8	48		
<b>Serpentine Hot Springs prospect</b>		<b>Seward Peninsula</b>			<b>65.85694</b>	<b>-164.71417</b>
	1	37	285	22		
	2	23	44	3		
	3	12	165	9		
	4	41	115	4		
	5	14	102.5	9		
	6	0	102	10		
	7	22.6	137	6		
	8	0	102	8		
<b>Shadow prospect</b>		<b>Southcentral</b>			<b>61.8</b>	<b>-152.833</b>
	1	0	307	33		
	2	0	406	44		
	3	0	313	36		
	4	0	350	37		
<b>Sheep Creek prospect</b>		<b>Central</b>			<b>63.92</b>	<b>-148.28</b>
	77-1	25	425	32		
	Hand Samples	0	0	2		
<b>Shell 356? (unknown)</b>		<b>Southcentral</b>			<b>61.51</b>	<b>-151.07</b>
	AK-14	119	500	19		
	AK-34	94	268	7		
	AK-39	218	258	2		
	AK-44	30	102.5	3		
	AK-48	100	138	1		
	AK-51	0	515	11		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	AK-52	215	245	3		
	AK-7	125	136	1		
<b>Shumagin Vein prospect</b>		<b>Southwest</b>			<b>55.226</b>	<b>-160.574</b>
	1	887	933	5		
	H.S.	0	0	1		
	Skel 1	0	1021	4		
<b>Silicic Spur (SS) prospect</b>		<b>Southcentral</b>			<b>61.85</b>	<b>-152.833</b>
	1	0	850	89		
	Skel 1			1		
<b>SK prospect</b>		<b>Northern</b>			<b>67.23</b>	<b>-156.535</b>
	DDH1	20	716	72		
<b>Sleitat prospect</b>		<b>Southwest</b>			<b>60.046</b>	<b>-157.08</b>
	10	7.5	400	43		
	11	0	500	51		
	12	0	500	53		
	13	0	500	50		
	14	0	405	42		
	DDH 8	10	358	34		
	DDH 9	9	50	4		
	Sleitat 1-84	0	148.5	15		
	Sleitat 2-84	0	272.3	29		
	Sleitat 3-84	0	162.4	17		
	Sleitat 4-84	0	140.9	15		
	Sleitat 5-84	0	350	37		
	Sleitat 6-84	0	209.6	22		
	Sleitat 7-84	0	340	36		
	Sleitat 9A	4	398	41		
<b>SM prospect</b>						
	03	0	300	30		
	4	9	150	15		
<b>Smucker prospect</b>		<b>Northern</b>			<b>67.306</b>	<b>-157.252</b>
	1	0	324	32		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	2	0	453	45		
<b>Snettisham magnetite deposit</b>		<b>Southeast</b>			<b>57.98452</b>	<b>-133.774</b>
	1	0	853	34		
	10	0	500	1		
	11	0	598	1		
	2	0	742	2		
	3	0	742	2		
	4	0	475	1		
	5	0	542	1		
	6	0	440	1		
	7	0	401	1		
	8	0	496	1		
	9	0	719	3		
<b>Snow prospect</b>		<b>Northern</b>			<b>67.25</b>	<b>-157</b>
	1	11	400	4		
	3	208.6	218.4	1		
<b>Sowhat Vein</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Sun prospect</b>		<b>Northern</b>			<b>67.07</b>	<b>-155.04</b>
	1	0	70	1		
	10	0	624	50		
	11	0	557	56		
	12	0	427	42		
	13	0	311	11		
	14	0	833	82		
	15	0	803	79		
	2	0	80	2		
	22	595	719	13		
	3	0	155	8		
	4	13	342	29		
	9	198	641	44		
	BK-4	0	55.5	5		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
<b>Sunshine Creek prospect of Kennecott Ex</b>		<b>Northern</b>			<b>67.22</b>	<b>-156.63</b>
	SS1	49	542	1		
	SS2	15	668	1		
	SS-2	20	663	1		
	SS3	464	767	1		
	SS4	16	503	1		
	SS5	23	758	1		
	SS6	114	836	1		
<b>Sunshine prospect</b>		<b>Northern</b>			<b>67.22</b>	<b>-156.63</b>
	6	0	596	56		
	7	0	701	66		
	7- Skel?	20	198	1		
	8	15	103	7		
	9	16	200	14		
	SS-5	10	385	30		
<b>Susitna hydroelectric project (Devils Cany</b>		<b>Southcentral</b>			<b>62.818</b>	<b>-149.332</b>
	BH-1	11.8	750	77		
	BH-2	2	341.2	35		
	BH-3	91.7	121.5	2		
	BH-5A	204.9	219.2	1		
	BH-7	11.7	490	32		
<b>Susitna hydroelectric project (Watana)</b>		<b>Southcentral</b>			<b>62.83</b>	<b>-148.484</b>
	AH-17	218	231	2		
	AH-20	137	151.5	3		
	AH-22	0.5	24	4		
	AH-24	37	56	3		
	AH-26	96	109.9	2		
	AH-28	103	117.5	1		
	BH-1	18.7	286.5	14		
	BH-12	21	798.9	44		
	BH-2	10	401	37		
	BH-3	31.7	955.7	65		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	BH-4	12.4	949.6	60		
	BH-6	8	740.4	67		
	BH-8	8	750.5	69		
	DDH-1	82.7	111.9	2		
	DDH-2	7.5	33	1		
	DH-11	64.5	79.2	1		
	DH-23	104.3	119.2	1		
	DH-3	15	171	2		
	DH84-1	0	848.5	61		
	DH84-2	0	765	56		
	DH84-4	0	216	2		
	DH84-4A	0	698.5	50		
	DH84-5	52.2	65.2	1		
	DH84-9	282.7	296.1	1		
	DR-16	78.5	91.5	1		
	DR-22	418.7	480.5	1		
	HD83-41	84.5	99.4	1		
	HD83-42	70	127.8	4		
	HD83-43	67	104.4	3		
	HD83-44	67.5	118	4		
	HD83-45	56	80	2		
	HD83-46	50.5	98.2	3		
<b>Suzy prospect</b>		<b>Southwest</b>			<b>55.291</b>	<b>-160.467</b>
	H.S.	0	0	1		
<b>Taylor Creek lead-zinc deposit</b>		<b>Southeast</b>			<b>56.794</b>	<b>-133.362</b>
	1	0	242	1		
	2	0	66	1		
	3	0	291	1		
	4	0	171	1		
<b>Thormac Vein prospect</b>		<b>Southwest</b>			<b>55.28</b>	<b>-160.599</b>
	H.S.	0	0	1		
<b>Tin City lode deposit</b>		<b>Seward Peninsula</b>			<b>65.579</b>	<b>-168.003</b>

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	1	0	58.6	1		
	2	0	52	1		
	3	0	41	1		
	4	0	68	1		
	5	0	40	1		
<b>Tofty prospect</b>		<b>Central</b>			<b>65.07848</b>	<b>-150.91881</b>
	1	0	194	2		
	12	148	260	1		
	2	0	179.4	2		
	4	0	50	1		
	6	0	135	2		
	7	0	43	1		
	7	43	44	1		
	8	176	270	1		
<b>Tofty? Prospect (unkown)</b>		<b>Central</b>			<b>65.07848</b>	<b>-150.91881</b>
	13	61.9	107.6	15		
	16	43.9	80	10		
<b>Treadwell mine</b>		<b>Southeast</b>			<b>58.2692</b>	<b>-134.3777</b>
	T1			34		
	T10			17		
	T2			38		
	T3			22		
	T4	168	177	32		
	T5			23		
	T6			25		
	T7			31		
	T8			27		
	T9			17		
<b>Treasury Hill prospect</b>		<b>Southeast</b>			<b>58.4227</b>	<b>-134.6754</b>
	TH1	0	154	15		
	TH10	7	100	9		
	TH11	8	73	5		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	TH12	5	130	11		
	TH13	8	48	3		
	TH2	0	137	14		
	TH3	10.8	27	2		
	TH4	0	96	10		
	TH5	10	134	13		
	TH6	1	38	3		
	TH7	0	157	15		
	TH8	7	149	15		
	TH9	4	100	10		
<b>True North gold property</b>		<b>Central</b>			<b>65.048</b>	<b>-147.533</b>
	1474	0	350	42		
	503C	30	300	30		
	504C	0	264	27		
<b>Undetermined</b>						
	1	284	598	3		
	1	584	605	2		
	15	215	386	1		
	17	958	968	1		
	2	689	709	1		
	4B	1233	1242	1		
	5-D	472.5	481	1		
	6			1		
	8			1		
	9-139	11	34	4		
	B5 or B8	1043	1053	1		
<b>Unga Cape porphyry</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>Unga Island S.W. coast</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
<b>VF prospect</b>						
	93-03	0	741	53		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
<b>Vinsdale prospect</b>		<b>Southwest</b>			<b>62.71</b>	<b>-155.69</b>
	UM-91-10	5	521	50		
	UM-91-13	5	450	21		
<b>West Dead Creek prospect</b>		<b>Northern</b>			<b>67.2</b>	<b>-156.56</b>
	WDC- 1	0	120	6		
	WDC- 2	0	75	2		
	WDC-3	0	237	24		
	WDC-4	0	857	88		
<b>Whistle Pig prospect</b>		<b>Southeast</b>			<b>56.512</b>	<b>-132.054</b>
				3		
	816-1	665	745	1		
	816-2	0	750	2		
	861-1	0	655	2		
	867-1	0	2454	259		
	867-1	36	2453	13		
	867-1 Rescued			1		
	867-2	16	506.4	54		
	867-2	25	505	3		
	867-3	15	2727	290		
	867-3	15	2725	11		
	867-3 Rescued			1		
	867-3 Rescued			2		
	867-4	0	2072	224		
	867-4	31	2072	6		
<b>Whistler prospect</b>		<b>Southcentral</b>			<b>61.97</b>	<b>-152.64</b>
	12?	0	55	7		
	DDH1	0	344	37		
	DDH10	0	300	32		
	DDH11	0	301	32		
	DDH12	0	77.5	9		
	DDH12B	77.5	302	25		
	DDH13	0	301	32		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	DDH14	0	308	32		
	DDH15	0	406	37		
	DDH16	0	505	53		
	DDH2	0	295	30		
	DDH3	0	566	56		
	DDH4	0	350	34		
	DDH5	0	302	32		
	DDH6	0	300	33		
	DDH7	0	309	31		
	DDH8	0	306	32		
	DDH9	0	300	33		
<b>White Mountain mercury deposit</b>		<b>Southwest</b>			<b>62.183</b>	<b>-154.849</b>
	1	10	149	4		
	10	10	121	1		
	12			1		
	14	60	232	1		
	2	0	140	3		
	3	0	143	3		
	4	10	150.2	3		
	7		21	1		
	8	8.5	26.6	1		
	8	27	204	4		
	9	7	106	1		
<b>Wodski prospect of Amseco (Kennecott)</b>		<b>Southeast</b>			<b>56.557</b>	<b>-133.021</b>
				2		
	W-1			1		
	W-14			1		
	W-15			1		
	W-19			1		
	W-19			1		
	W-2			1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	W-27			1		
	W-4			1		
	W-6			1		
	Wod-1	0	200	1		
	Wod-10	0	217	2		
	Wod-11	0	400	2		
	Wod-13	0		1		
	Wod-14			1		
	Wod-15	1	204	1		
	Wod-16			1		
	Wod-17			1		
	Wod-19	30	182.7	1		
	Wod-2	0	204	1		
	Wod-20	0	1365	1		
	Wod-21	0	1242	1		
	Wod-22	7.9	111.8	1		
	Wod-27	100	220	1		
	Wod-3	0	587	2		
	Wod-4	0	292	1		
	Wod-5	0	302	1		
	Wod-6	0	325	1		
	Wod-7	0	587	3		
	Wod-8	0	283	1		
	Wod-9	0	427	2		
<b>Yakobi prospect</b>		<b>Southeast</b>			<b>58.012</b>	<b>-136.343</b>
				4		
	B10	0	267	10		
	B12	0	332	17		
	B12 - Skel	0	150.2	1		
	B13	0	775	81		
	B14	56	402	16		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	B15	0	300	18		
	B16	0	537	15		
	B17	0	577	3		
	B4	0	76.3	8		
	B5	2	120	7		
	B6	1	566	41		
	B7	46	425	21		
	B9	89	348	9		
	BCH1	90.5	282.2	15		
	BCH2	109.8	249.9	10		
	BE1	77.5	904	60		
	BE2	116	169	5		
	BN10	0	423.1	40		
	BN3	68.2	206	7		
	BN4	0	289	29		
	BN5	158.4	213	2		
	BN6	129.8	138.9	1		
	BN9	218.5	342	6		
	BSN2	0	233.3	24		
	BSN7	80.1	89.3	1		
	L1	169	309	7		
	T1	1	1100.6	6		
	T10	0	388	2		
	T11	240	512	10		
	T12	59.8	204	15		
	T14	31	618.1	63		
	T15	30	937	94		
	T2	85	512	5		
	T3	1	686	13		
	T4	1	515	7		
	T5	1	436	4		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	T6	1	135	1		
	T7	0	345	10		
	T8	1	84	3		
	T8A	75	341.5	24		
	T9	0	531	31		
<b>Yankee Basin prospect</b>		<b>Southeast</b>			<b>58.61</b>	<b>-134.817</b>
	Y1	7.5	435	36		
	Y10	0	115	12		
	Y11	0	285	27		
	Y12	18	200	18		
	Y13	29	210	14		
	Y14	0	210	15		
	Y15	0	238	22		
	Y2	16	313	30		
	Y3	2	76.5	8		
	Y4	0	76.5	8		
	Y5	0	229	19		
	Y6	0	168	10		
	Y7	8	142	13		
	Y8	0	126	10		
	Y9	4	186	17		
<b>Z prospect</b>		<b>Northern</b>			<b>67.128</b>	<b>-156.082</b>
	1	21	786	77		
<b>Z prospect (Unga 1981)</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.75</b>
	1	42	383	1		
	2	30	234	1		
	3	25	144	1		
	4	43	194	1		
<b>Zachary Bay (Unga 1981/82)</b>		<b>Southwest</b>			<b>55.275</b>	<b>-160.665</b>
	H.S.	0	0	1		
	H.S.	0	0	1		
	H.S.	0	0	1		

<b>Prospect_Name</b>	<b>Hole Name</b>	<b>Top</b>	<b>Bottom</b>	<b>Samples</b>	<b>Latitude</b>	<b>Longitude</b>
	H.S.	0	0	1		
	H.S.	0	0	1		